ELSEVIER

Mechanisms of Development 62 (1997) 239–240

Author index

Volume 62 (1997)

Aplin, A.C., Kaufman, T.C., Homeotic transformation of legs to mouthparts by *proboscipedia* expression in *Drosophila* imaginal discs **62**, 51

Baron, M.H., see Farrington, S.M., **62**, 197
Belaoussoff, M., see Farrington, S.M., **62**, 197
Blader, P., see Strähle, U., **62**, 147
Bosse, B., see Büscher, D., **62**, 175
Büscher, D., Bosse, B., Heymer, J., Rüther, U., Evidence for genetic control of *sonic hedgehog* by *Gli*3 in mouse limb development **62**, 175

Chambon, P., see Niederreither, K., **62**, 67
Collinson, M., see MacKenzie, A., **62**, 29

Damen, P., see Dictus, W.J.A.G., **62**, 213
Davidson, D., see MacKenzie, A., **62**, 29
Dictus, W.J.A.G., Damen, P., Cell-lineage and clonal-contribution map of the trochophore larva of *Patella vulgata* (Mollusca) **62**, 213
Doll, P., see Niederreither, K., **62**, 67
Dräger, U.C., see Niederreither, K., **62**, 67
Dressler, G.R., see Lechner, M.S., **62**, 105

Farrington, S.M., Belaoussoff, M., Baron, M.H., *Winged-Helix*, *Hedgehog* and *Bmp* genes are differentially expressed in distinct cell layers of the murine yolk sac **62**, 197
Fischer, N., see Strähle, U., **62**, 147

Garner, C.C., see Thomas, U., **62**, 161
Gundelfinger, E.D., see Thomas, U., **62**, 161

Heymer, J., see Büscher, D., **62**, 175
Hill, R.E., see MacKenzie, A., **62**, 29
Hirai, Y., see Ohuchi, H., **62**, 3
Holder, N., see Neave, B., **62**, 183
Holz, A., Meise, M., Janning, W., Adepithelial cells in *Drosophila melanogaster*: origin and cell lineage **62**, 93

Janning, W., see Holz, A., **62**, 93
Joyner, A.L., see Platt, K.A., **62**, 121

Kaufman, T.C., see Aplin, A.C., **62**, 51
Kiefer, F., see Wang, Z.-Q., **62**, 137
Klaes, A., see Scholz, H., **62**, 79
Klämbt, C., see Scholz, H., **62**, 79
Korge, G., see Lehmann, M., **62**, 15

Lechner, M.S., Dressler, G.R., The molecular basis of embryonic kidney development **62**, 105
Lehmann, M., Wattler, F., Korge, G., Two new regulatory elements controlling the *Drosophila Sgs-3* gene are potential ecdysone receptor and fork head binding sites **62**, 15
Lobe, C.G., Expression of the helix-loop-helix factor, *Hes3*, during embryo development suggests a role in early midbrain-hindbrain patterning **62**, 227

MacKenzie, A., Purdie, L., Davidson, D., Collinson, Hill, R.E., Two enhancer domains control early aspects of the complex expression pattern of *Msx1* **62**, 29
McCaffery, P., see Niederreither, K., **62**, 67
Meise, M., see Holz, A., **62**, 93
Michaud, J., see Platt, K.A., **62**, 121
Müller, B., see Thomas, U., **62**, 161

Nakagawa, T., see Ohuchi, H., **62**, 3
Neave, B., Holder, N., Patient, R., A graded response to BMP-4 spatially coordinates patterning of the mesoderm and ectoderm in the zebrafish **62**, 183
Niederreither, K., McCaffery, P., Dräger, U.C., Chambon, P., Doll, P., Restricted expression and retinoic acid-induced downregulation of the retinaldehyde dehydrogenase type 2 (RALDH-2) gene during mouse development **62**, 67
Nohno, T., see Ohuchi, H., **62**, 3
Noji, S., see Ohuchi, H., **62**, 3

Ohata, T., see Ohuchi, H., **62**, 3
Ohuchi, H., Shibusawa, M., Nakagawa, T., Ohata, T., Yoshioka, H., Hirai, Y., Nohno, T., Noji, S., A chick *wingless* mutation causes abnormality in maintenance of *Fgf8* expression in the wing apical ridge, resulting in loss of the dorsoventral boundary **62**, 3

Patient, R., see Neave, B., **62**, 183
Pellicena-Pallé, A., Stitzinger, S.M., Salz, H.K., The function of the *Drosophila* thioredoxin homologue encoded by the *deadhead* gene is redox-dependent and blocks the initiation of development but not DNA synthesis **62**, 61
Phannavong, B., see Thomas, U., **62**, 161
Platt, K.A., Michaud, J., Joyner, A.L., Expression of the mouse *Gli* and *Ptc* genes is adjacent to embryonic sources of hedgehog signals suggesting a conservation of pathways between flies and mice **62**, 121
Purdie, L., see MacKenzie, A., **62**, 29

Rüther, U., see Büscher, D., **62**, 175

Sadlowski, E., see Scholz, H., **62**, 79
Salz, H.K., see Pellicena-Pallé, A., **62**, 61
Scholz, H., Sadlowski, E., Klaes, A., Klämbt, C., Control of midline glia development in the embryonic *Drosophila* CNS **62**, 79
Shibusawa, M., see Ohuchi, H., **62**, 3

0925-4773/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved

Simcox, A., Differential requirement for EGF-like ligands in *Drosophila* wing development, **62**, 41
Stitzinger, S.M., see Pellicena-Pallé, A., **62**, 61
Strähle, U., Fischer, N., Blader, P., Expression and regulation of a *netrin* homologue in the zebrafish embryo **62**, 147

Thomas, U., Phannavong, B., Müller, B., Garner, .C., Gundelfinger, E.D., Functional expression of rat synapse-associated proteins SAP97 and SAP102 in *Drosophila dlg-1* mutants: effects on tumor suppression and synaptic bouton structure **62**, 161

Urbánek, P., see Wang, Z.-Q., **62**, 137

Wagner, E.F., see Wang, Z.-Q., **62**, 137
Wang, Z.-Q., Kiefer, F., Urbánek, P., Wagner, E.F., Generation of completely embryonic stem cell-derived mutant mice using tetraploid blastocyst injection **62**, 137
Wattler, F., see Lehmann, M., **62**, 15

Yoshioka, H., see Ohuchi, H., **62**, 3

ELSEVIER

Mechanisms of Development 62 (1997) 241–243

Subject index

Volume 62 (1997)

Adepithelial cells; Cell lineage; Single cell transplantation; *Drosophila melanogaster*; Mesoderm; Blastoderm stage **62**, 93

Apical ectodermal ridge; Chick; *wingless* mutant; *Fgf8*; Limb development **62**, 3

Apical ectodermal ridge; Fgfs; Polydactyly; Polarising activity **62**, 175

Axon guidance; Floor plate; *Cyclops*; *Sonic hedgehog*; Protein kinase A **62**, 147

Blastoderm stage; Cell lineage; Single cell transplantation; Adepithelial cells; *Drosophila melanogaster*; Mesoderm **62**, 93

BMP-4; Dominant-negative BMPR; Dorso-ventral; Gastrulation; Neurulation **62**, 183

Bone morphogenetic protein; Visceral endoderm; Extraembryonic mesoderm; Yolk sac; Winged-helix; Hedgehog **62**, 197

Cell lineage; Single cell transplantation; Adepithelial cells; *Drosophila melanogaster*; Mesoderm; Blastoderm stage **62**, 93

Cell-lineage; Spiral cleavage; Molluscan development; Embryo; Trochophore larva; Fate map **62**, 213

Chick; *wingless* mutant; *Fgf8*; Apical ectodermal ridge; Limb development **62**, 3

Cyclops; Floor plate; *Cyclops*; *Sonic hedgehog*; Protein kinase A; Axon guidance **62**, 147

DER signaling; Drosophila; vein; spitz; Wing disc **62**, 41

discs large; Membrane-associated guanylate kinases (MAGUKs); *dlg-1* mutant; Tumor suppression; Neuromuscular junction; Synapse **62**, 161

dlg-1 mutant; Membrane-associated guanylate kinases (MAGUKs); *discs large*; Tumor suppression; Neuromuscular junction; Synapse **62**, 161

Dominant-negative BMPR; BMP-4; Dorso-ventral; Gastrulation; Neurulation **62**, 183

Dorso-ventral; BMP-4; Dominant-negative BMPR; Gastrulation; Neurulation **62**, 183

Drosophila CNS; Midline glial cells; ras1 pathway **62**, 79

Drosophila melanogaster; Cell lineage; Single cell transplantation; Adepithelial cells; Mesoderm; Blastoderm stage **62**, 93

Drosophila; Embryogenesis; Thioredoxin **62**, 61

Drosophila; Ecdysone response; EcR/USP; fork head; Sgs-3 **62**, 15

Drosophila; vein; spitz; DER signaling; Wing disc **62**, 41

Ecdysone response; Drosophila; EcR/USP; fork head; Sgs-3 **62**, 15

EcR/USP; Drosophila; Ecdysone response; fork head; Sgs-3 **62**, 15

Embryo; Spiral cleavage; Molluscan development; Cell-lineage; Trochophore larva; Fate map **62**, 213

Embryogenesis; *Drosophila*; Thioredoxin **62**, 61

Embryonic development; *Gli*; *Ptc*; *Shh*; *Ihh*; Evolutionary conservation **62**, 121

Enhancer domains; Msx 1 promoter; Homeobox gene; Transgenic mice; LacZ reporter gene **62**, 29

ES cell injection; Tetraploid blastocysts; ES mice **62**, 137

ES mice; Tetraploid blastocysts; ES cell injection **62**, 137

Evolutionary conservation; *Gli*; *Ptc*; *Shh*; *Ihh*; Embryonic development **62**, 121

Extraembryonic mesoderm; Visceral endoderm; Yolk sac; Winged-helix; Hedgehog; Bone morphogenetic protein **62**, 197

Fate map; Spiral cleavage; Molluscan development; Embryo; Cell-lineage; Trochophore larva **62**, 213

Fgf8; Chick; *wingless* mutant; Apical ectodermal ridge; Limb development **62**, 3

Fgfs; Polydactyly; Apical ectodermal ridge; Polarising activity **62**, 175

Floor plate; *Cyclops*; *Sonic hedgehog*; Protein kinase A; Axon guidance **62**, 147

fork head; Drosophila; Ecdysone response; EcR/USP; Sgs-3 **62**, 15

GAL4; Proboscipedia; Imaginal development; Patterning; Labial palps **62**, 51

Gastrulation; BMP-4; Dominant-negative BMPR; Dorso-ventral; Neurulation **62**, 183

Gli; *Ptc*; *Shh*; *Ihh*; Embryonic development; Evolutionary conservation **62**, 121

0925-4773/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved

Hedgehog; Visceral endoderm; Extraembryonic mesoderm; Yolk sac; Winged-helix; Bone morphogenetic protein **62**, 197

Homeobox gene; Msx 1 promoter; Transgenic mice; LacZ reporter gene; Enhancer domains **62**, 29

Ihh; *Gli*; *Ptc*; *Shh*; Embryonic development; Evolutionary conservation **62**, 121

Imaginal development; Proboscipedia; Patterning; Labial palps; GAL4 **62**, 51

In situ hybridization; Limb development; Mesoderm; Mouse development; Pattern formation; Retinoic acid **62**, 67

Induction; Kidney organogenesis; Metanephros **62**, 105

Kidney organogenesis; Metanephros; Induction **62**, 105

Labial palps; Proboscipedia; Imaginal development; Patterning; GAL4 **62**, 51

LacZ reporter gene; Msx 1 promoter; Homeobox gene; Transgenic mice; Enhancer domains **62**, 29

Limb development; Chick; *wingless* mutant; *Fgf8*; Apical ectodermal ridge **62**, 3

Limb development; In situ hybridization; Mesoderm; Mouse development; Pattern formation; Retinoic acid **62**, 67

Membrane-associated guanylate kinases (MAGUKs); *discs large*; *dlg-1* mutant; Tumor suppression; Neuromuscular junction; Synapse **62**, 161

Mesoderm; Cell lineage; Single cell transplantation; Adepithelial cells; *Drosophila melanogaster*; Blastoderm stage **62**, 93

Mesoderm; In situ hybridization; Limb development; Mouse development; Pattern formation; Retinoic acid **62**, 67

Metanephros; Kidney organogenesis; Induction **62**, 105

Midbrain/hindbrain; Neurogenic genes; Segmentation; Rhombomere **62**, 227

Midline glial cells; Drosophila CNS; ras1 pathway **62**, 79

Molluscan development; Spiral cleavage; Embryo; Cell-lineage; Trochophore larva; Fate map **62**, 213

Mouse development; In situ hybridization; Limb development; Mesoderm; Pattern formation; Retinoic acid **62**, 67

Msx 1 promoter; Homeobox gene; Transgenic mice; LacZ reporter gene; Enhancer domains **62**, 29

Neurogenic genes; Segmentation; Midbrain/hindbrain; Rhombomere **62**, 227

Neuromuscular junction; Membrane-associated guanylate kinases (MAGUKs); *discs large*; *dlg-1* mutant; Tumor suppression; Synapse **62**, 161

Neurulation; BMP-4; Dominant-negative BMPR; Dorso-ventral; Gastrulation **62**, 183

Pattern formation; In situ hybridization; Limb development; Mesoderm; Mouse development; Retinoic acid **62**, 67

Patterning; Proboscipedia; Imaginal development; Labial palps; GAL4 **62**, 51

Polarising activity; Fgfs; Polydactyly; Apical ectodermal ridge **62**, 175

Polydactyly; Fgfs; Apical ectodermal ridge; Polarising activity **62**, 175

Proboscipedia; Imaginal development; Patterning; Labial palps; GAL4 **62**, 51

Protein kinase A; Floor plate; *Cyclops*; *Sonic hedgehog*; Axon guidance **62**, 147

Ptc; *Gli*; *Shh*; *Ihh*; Embryonic development; Evolutionary conservation **62**, 121

ras1 pathway; Drosophila CNS; Midline glial cells **62**, 79

Retinoic acid; In situ hybridization; Limb development; Mesoderm; Mouse development; Pattern formation **62**, 67

Rhombomere; Neurogenic genes; Segmentation; Midbrain/hindbrain **62**, 227

Segmentation; Neurogenic genes; Midbrain/hindbrain; Rhombomere **62**, 227

Sgs-3; Drosophila; Ecdysone response; EcR/USP; fork head **62**, 15

Shh; *Gli*; *Ptc*; *Ihh*; Embryonic development; Evolutionary conservation **62**, 121

Single cell transplantation; Cell lineage; Adepithelial cells; *Drosophila melanogaster*; Mesoderm; Blastoderm stage **62**, 93

Sonic hedgehog; Floor plate; *Cyclops*; Protein kinase A; Axon guidance **62**, 147

Spiral cleavage; Molluscan development; Embryo; Cell-lineage; Trochophore larva; Fate map **62**, 213

spitz; Drosophila; vein; DER signaling; Wing disc **62**, 41

Synapse; Membrane-associated guanylate kinases (MAGUKs); *discs large*; *dlg-1* mutant; Tumor suppression; Neuromuscular junction **62**, 161

Tetraploid blastocysts; ES cell injection; ES mice **62**, 137

Thioredoxin; *Drosophila*; Embryogenesis **62**, 61

Transgenic mice; Msx 1 promoter; Homeobox gene; LacZ reporter gene; Enhancer domains **62**, 29

Trochophore larva; Spiral cleavage; Molluscan development; Embryo; Cell-lineage; Fate map **62**, 213

Tumor suppression; Membrane-associated guanylate kinases (MAGUKs); *discs large*; *dlg-1* mutant; Neuromuscular junction; Synapse **62**, 161

vein; Drosophila; spitz; DER signaling; Wing disc **62**, 41

Visceral endoderm; Extraembryonic mesoderm; Yolk sac; Winged-helix; Hedgehog; Bone morphogenetic protein **62**, 197

Wing disc; Drosophila; vein; spitz; DER signaling **62**, 41

Winged-helix; Visceral endoderm; Extraembryonic mesoderm; Yolk sac; Hedgehog; Bone morphogenetic protein **62**, 197

wingless mutant; Chick; *Fgf8*; Apical ectodermal ridge; Limb development **62**, 3

Yolk sac; Visceral endoderm; Extraembryonic mesoderm; Winged-helix; Hedgehog; Bone morphogenetic protein **62**, 197